

## Technical Information

## ACCUREL® SF 266

ACCUREL® SF 266 is a saturated ethoxylated tallow amine on a polypropylene (PP) homopolymer carrier.

## Physical Properties

Melt temperature	> 150 °C
Bulk density	450 – 650 kg/m <sup>3</sup>
Colour	Off-white / creamy
Delivery form	Pellets
Additive Content	75 (± 2) wt%

## Application

ACCUREL SF 266 is a long-term internal antistatic agent. It provides a sustained antistatic performance and shows an excellent thermal stability due to its saturated alkyl chain.

ACCUREL SF 266 is approved for applications in articles for indirect food contact, such as BOPP/CPP films.

## Dosage

ACCUREL® SF 266 can be incorporated using normal dosing equipment or by adding it to a dry blend with the virgin polymer.

The recommended level of addition for ACCUREL SF 266 is in the range of 0.2 – 0.4% in the core layer of BOPP/CPP films.

## Food Contact Status

## EU: EC 10/2011

ACCUREL® SF 266 complies with EU regulation EC 10/2011. Specific migrations limits apply.

## USA: FDA 21 CFR

ACCUREL® SF 266 can be used as an additive in polyolefins in contact with food according to 21 CFR (FDA) Sec. 177.1520 (olefin polymers) up to a maximum level of 0.13 % ACCUREL® SF 266 in polyolefin food-contact films.

## China: GB 9685-2016

ACCUREL® SF 266 is listed with respect to its active standard composition in GB 9685-2016 for use in Plastic (PE, PP) with food contact.

## Registration

ACCUREL® SF 266 complies with REACH Regulation (EC) No 1907/2006.

The ingredients of ACCUREL SF 266 are listed / comply with the following chemical inventories:

EINECS, AICS, TCCL, PICCS, IECSC, NZIOC, TCSI

## Storage Stability

Minimum 12 months after date of production under normal good storing conditions.

## Packaging

30 kg net in a cardboard box with PE inliner  
720 kg net (24 x 30 kg)

## Product Safety

For transport, handling and first aid instructions we refer to the material safety data sheet for ACCUREL® SF 266.

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.

**Evonik Nutrition & Care GmbH**  
Goldschmidtstraße 100  
45127 Essen, Germany  
Phone Europe +49 201 173 2665  
Phone Asia +86 21 61191 125  
Phone Americas +1 804 727 0700  
[interface-performance@evonik.com](mailto:interface-performance@evonik.com)  
[www.evonik.com/interface-performance](http://www.evonik.com/interface-performance)